



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic#

QA Testing

1 of 4

## THCA Live Rosin Gtank

Sample ID: 2605EXL3505.14351

Strain: Gtank

Matrix: Concentrates & Extracts

Type: Rosin

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 05/03/2026

Batch#: 20260430-02

Client

Hemp Supply Prime

Lic. #

516 D River Hwy #351

Mooresville, NC 28115

### Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      |             | Complete |
| Heavy Metals      |             | Pass     |
| Microbials        |             | Pass     |
| Mycotoxins        |             | Pass     |
| GCMS Pesticides   |             | Pass     |
| LCMS Pesticides   |             | Pass     |
| Residual Solvents |             | Pass     |

### Cannabinoids

Complete

0.2361%

Δ9-THC

0.1005%

CBD

63.402%

Total Cannabinoids

| Analyte   | LOD   | LOQ   | Result  | Result  |
|-----------|-------|-------|---------|---------|
|           | mg/g  | mg/g  | %       | mg/g    |
| CBC       | 0.171 | 0.455 | ND      | ND      |
| CBD       | 0.455 | 0.909 | 0.1005  | 1.005   |
| CBDa      | 0.341 | 0.909 | ND      | ND      |
| CBG       | 0.455 | 0.909 | 0.7317  | 7.317   |
| CBN       | 0.171 | 0.455 | 0.0579  | 0.579   |
| Δ8-THC    | 0.341 | 0.909 | ND      | ND      |
| Δ9-THC    | 0.341 | 0.909 | 0.2361  | 2.361   |
| THCa      | 0.227 | 0.455 | 71.0100 | 710.100 |
| THCV      | 0.455 | 0.909 | ND      | ND      |
| Total THC |       |       | 62.512  | 625.119 |
| Total CBD |       |       | 0.101   | 1.005   |
| Total CBG |       |       | 0.732   | 7.317   |
| Total     |       |       | 63.402  | 634.019 |

Date Tested:

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, SOP-004

Water Activity: Water Activity Meter, SOP-012

Moisture Content: Moisture Analyzer, SOP-011

Foreign Matter: Visual Inspection, SOP-001



Accreditation #128081

ISO/IEC 17025:2017

Scott Robertson

Lab Director  
05/03/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic#

QA Testing

2 of 4

## THCA Live Rosin Gtank

Sample ID: 2605EXL3505.14351

Strain: Gtank

Matrix: Concentrates & Extracts

Type: Rosin

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 05/03/2026

Batch#: 20260430-02

Client

Hemp Supply Prime

Lic. #

516 D River Hwy #351

Mooreville, NC 28115

### GC Pesticides

Pass

| Analyte                              | LOD   | LOQ   | Limit | Conc. | Status |
|--------------------------------------|-------|-------|-------|-------|--------|
|                                      | µg/g  | µg/g  | µg/g  | µg/g  |        |
| Captan                               | 0.054 | 0.097 | 0.7   | ND    | Pass   |
| Chlordane (trans + cis)              | 0.058 | 0.098 | 0.058 | ND    | Pass   |
| Chlorfenapyr                         | 0.056 | 0.097 | 0.056 | ND    | Pass   |
| Cyfluthrin                           | 0.052 | 0.097 | 2     | ND    | Pass   |
| Cypermethrin                         | 0.054 | 0.097 | 1     | ND    | Pass   |
| Parathion Methyl                     | 0.039 | 0.097 | 0.039 | ND    | Pass   |
| Pentachloronitrobenzene (Quintozene) | 0.062 | 0.097 | 0.1   | ND    | Pass   |

### Mycotoxins

Pass

| Analytes         | LOD     | LOQ     | Limit | Conc. | Status |
|------------------|---------|---------|-------|-------|--------|
|                  | µg/kg   | µg/kg   | µg/kg | µg/kg |        |
| Aflatoxin B1     | 4.0000  | 5.0000  |       | ND    | Tested |
| Aflatoxin B2     | 4.0000  | 5.0000  |       | ND    | Tested |
| Aflatoxin G1     | 4.0000  | 5.0000  |       | ND    | Tested |
| Aflatoxin G2     | 4.0000  | 5.0000  |       | ND    | Tested |
| Ochratoxin A     | 10.0000 | 16.0000 | 20    | ND    | Pass   |
| Total Aflatoxins |         |         | 20    | ND    | Pass   |

### Microbials

Pass

| Analyte                       | Limit | Detected / Not Detected | Status |
|-------------------------------|-------|-------------------------|--------|
|                               | RFU/g | RFU/g                   |        |
| Aspergillus flavus            | 0     | Not Detected            | Pass   |
| Aspergillus fumigatus         | 0     | Not Detected            | Pass   |
| Aspergillus niger             | 0     | Not Detected            | Pass   |
| Aspergillus terreus           | 0     | Not Detected            | Pass   |
| Shiga toxin-producing E. Coli | 0     | Not Detected            | Pass   |
| Salmonella SPP                | 0     | Not Detected            | Pass   |
| Yeast & Mold                  | 0     | Not Detected            | Pass   |

### Heavy Metals

Pass

| Analyte | LOD     | LOQ   | Limit | Conc. | Status |
|---------|---------|-------|-------|-------|--------|
|         | µg/g    | µg/g  | µg/g  | µg/g  |        |
| Arsenic | 0.0150  | 0.05  | 0.2   | ND    | Pass   |
| Cadmium | 0.0113  | 0.05  | 0.2   | ND    | Pass   |
| Lead    | 0.00615 | 0.05  | 0.5   | ND    | Pass   |
| Mercury | 0.00126 | 0.005 | 0.1   | ND    | Pass   |

GCMS Date Tested:

Pesticides: GC-MS/MS, GCMS Method SOP-006

LCMS Date Tested:

Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001


Microbial Date Tested:

Microbials Footnote: Microbial: SOP-010

RFU = Relative Fluorescence Units

Heavy Metals Date Tested:

Heavy Metals: Heavy Metals: ICP-MS, SOP-007



Accreditation #128081  
ISO/IEC 17025:2017

*Scott A. Robertson*

Scott Robertson  
Lab Director  
05/03/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic#

QA Testing

3 of 4

## THCA Live Rosin Gtank

Sample ID: 2605EXL3505.14351

Strain: Gtank

Matrix: Concentrates & Extracts

Type: Rosin

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 05/03/2026

Batch#: 20260430-02

Client

Hemp Supply Prime

Lic. #

516 D River Hwy #351

Mooresville, NC 28115

## LC Pesticides

Pass

| Analyte               | LOD   | LOQ   | Limit | Result | Status | Analyte                                     | LOD    | LOQ   | Limit | Result | Status |
|-----------------------|-------|-------|-------|--------|--------|---------------------------------------------|--------|-------|-------|--------|--------|
|                       | µg/g  | µg/g  | µg/g  | µg/g   |        |                                             | µg/g   | µg/g  | µg/g  | µg/g   |        |
| Abamectin             | 0.043 | 0.097 | 0.1   | ND     | Pass   | Imazalil                                    | 0.029  | 0.097 | 0.029 | ND     | Pass   |
| Acephate              | 0.019 | 0.097 | 0.1   | ND     | Pass   | Imidacloprid                                | 0.021  | 0.097 | 5     | ND     | Pass   |
| Acequinocyl           | 0.031 | 0.097 | 0.1   | ND     | Pass   | Kresoxim Methyl                             | 0.045  | 0.097 | 0.1   | ND     | Pass   |
| Acetamiprid           | 0.023 | 0.097 | 0.1   | ND     | Pass   | Malathion                                   | 0.027  | 0.097 | 0.5   | ND     | Pass   |
| Aldicarb              | 0.029 | 0.097 | 0.029 | ND     | Pass   | Metalaxyl                                   | 0.029  | 0.097 | 2     | ND     | Pass   |
| Azoxystrobin          | 0.025 | 0.097 | 0.1   | ND     | Pass   | Methiocarb                                  | 0.029  | 0.097 | 0.029 | ND     | Pass   |
| Bifenazate            | 0.031 | 0.097 | 0.1   | ND     | Pass   | Methomyl                                    | 0.029  | 0.097 | 1     | ND     | Pass   |
| Bifenthrin            | 0.033 | 0.097 | 3     | ND     | Pass   | Mevinphos                                   | 0.033  | 0.1   | 0.033 | ND     | Pass   |
| Boscalid              | 0.021 | 0.097 | 0.1   | ND     | Pass   | Myclobutanil                                | 0.047  | 0.097 | 0.1   | ND     | Pass   |
| Carbaryl              | 0.025 | 0.097 | 0.5   | ND     | Pass   | Naled                                       | 0.033  | 0.097 | 0.1   | ND     | Pass   |
| Carbofuran            | 0.033 | 0.097 | 0.033 | ND     | Pass   | Oxamyl                                      | 0.021  | 0.097 | 0.5   | ND     | Pass   |
| Chlorantraniliprole   | 0.025 | 0.097 | 10    | ND     | Pass   | Paclobutrazol                               | 0.027  | 0.097 | 0.027 | ND     | Pass   |
| Chlorpyrifos          | 0.019 | 0.097 | 0.019 | ND     | Pass   | Permethrin (trans + cis)                    | 0.033  | 0.1   | 0.5   | ND     | Pass   |
| Clofentezine          | 0.035 | 0.097 | 0.1   | ND     | Pass   | Phosmet                                     | 0.051  | 0.097 | 0.1   | ND     | Pass   |
| Coumaphos             | 0.039 | 0.097 | 0.039 | ND     | Pass   | Piperonyl Butoxide                          | 0.037  | 0.097 | 3     | ND     | Pass   |
| Daminozide            | 0.019 | 0.097 | 0.019 | ND     | Pass   | Prallethrin                                 | 0.047  | 0.097 | 0.1   | ND     | Pass   |
| Diazinon              | 0.031 | 0.097 | 0.1   | ND     | Pass   | Propiconazole                               | 0.023  | 0.097 | 0.1   | ND     | Pass   |
| Dichlorvos            | 0.06  | 0.097 | 0.06  | ND     | Pass   | Propoxur                                    | 0.027  | 0.097 | 0.027 | ND     | Pass   |
| Dimethoate            | 0.027 | 0.097 | 0.027 | ND     | Pass   | Pyrethrins (Cinerin + Jasmolin + Pyrethrin) | 0.0133 | 0.04  | 0.5   | ND     | Pass   |
| Dimethomorph (I + II) | 0.033 | 0.1   | 2     | ND     | Pass   | Pyridaben                                   | 0.021  | 0.097 | 0.1   | ND     | Pass   |
| Ethoprophos           | 0.023 | 0.097 | 0.023 | ND     | Pass   | Spinetoram (J + L)                          | 0.033  | 0.1   | 0.1   | ND     | Pass   |
| Etofenprox            | 0.041 | 0.097 | 0.041 | ND     | Pass   | Spinosyn (A + D)                            | 0.033  | 0.1   | 0.1   | ND     | Pass   |
| Etoxazole             | 0.027 | 0.097 | 0.1   | ND     | Pass   | Spiromesifen                                | 0.047  | 0.097 | 0.1   | ND     | Pass   |
| Fenhexamid            | 0.031 | 0.097 | 0.1   | ND     | Pass   | Spirotetramat                               | 0.019  | 0.097 | 0.1   | ND     | Pass   |
| Fenoxycarb            | 0.041 | 0.097 | 0.041 | ND     | Pass   | Spiroxamine                                 | 0.025  | 0.097 | 0.025 | ND     | Pass   |
| Fenpyroximate         | 0.023 | 0.097 | 0.1   | ND     | Pass   | Tebuconazole                                | 0.027  | 0.097 | 0.1   | ND     | Pass   |
| Fipronil              | 0.037 | 0.097 | 0.037 | ND     | Pass   | Thiacloprid                                 | 0.033  | 0.097 | 0.033 | ND     | Pass   |
| Flonicamid            | 0.039 | 0.097 | 0.1   | ND     | Pass   | Thiamethoxam                                | 0.027  | 0.097 | 5     | ND     | Pass   |
| Fludioxonil           | 0.029 | 0.097 | 0.1   | ND     | Pass   | Trifloxystrobin                             | 0.037  | 0.097 | 0.1   | ND     | Pass   |
| Hexythiazox           | 0.043 | 0.097 | 0.1   | ND     | Pass   |                                             |        |       |       |        |        |

LCMS Date Tested:  
Pesticides: LC-MS/MS. LCMS Method SOP-005



Accreditation #128081  
ISO/IEC 17025:2017

*Scott A. Robertson*

Scott Robertson  
Lab Director  
05/03/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.





Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
<http://excelbislabs.com>  
Lic#

QA Testing

4 of 4

## THCA Live Rosin Gtank

Sample ID: 2605EXL3505.14351

Strain: Gtank

Matrix: Concentrates & Extracts

Type: Rosin

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 05/03/2026

Batch#: 20260430-02

Client

Hemp Supply Prime

Lic. #

516 D River Hwy #351

Mooresville, NC 28115

## Residual Solvents

Pass

| Analyte                 | LOD     | LOQ     | Limit | Conc. | Status |
|-------------------------|---------|---------|-------|-------|--------|
|                         | µg/g    | µg/g    | µg/g  | µg/g  |        |
| Acetone                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Acetonitrile            | 15.4688 | 46.875  | 410   | ND    | Pass   |
| Benzene                 | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Butane                  | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Chloroform              | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| 1, 2-Dichloroethane     | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Ethanol                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ethyl Acetate           | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ethyl Ether             | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ethylene Oxide          | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Heptane                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Hexane                  | 15.4688 | 46.875  | 290   | ND    | Pass   |
| Isopropyl Alcohol       | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Methanol                | 15.4688 | 46.875  | 3000  | ND    | Pass   |
| Methylene Chloride      | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Pentane                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Propane                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Toluene                 | 15.4688 | 46.875  | 890   | ND    | Pass   |
| Total Xylenes (o, m, p) | 46.4063 | 140.625 | 2170  | ND    | Pass   |
| Trichloroethylene       | 0.1547  | 0.4688  | 1     | ND    | Pass   |

# EXCELBIS

# LABS

Date Tested:  
Residual Solvents: HS-GC-MS RS Method SOP-009



Accreditation #128081  
ISO/IEC 17025:2017

*Scott A. Robertson*

Scott Robertson  
Lab Director  
05/03/2026

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.